

WORKPOD

4-8 PAX



SPECIFICATION GUIDE (Ver 1.0)


September 2024

Variation


Panel Type




FRONT VIEW




BACK VIEW



TOP DETAIL VIEW



FRONT DETAIL VIEW




SIDE DETAIL VIEW

Variation


Glass Type




FRONT VIEW




BACK VIEW



TOP DETAIL VIEW



FRONT DETAIL VIEW



SIDE DETAIL VIEW


Product Features

ACOUSTIC RATING

Panel Type :
TUV – 28 NIC (Noise Isolation Class) (28dB)
Glass Type:
TUV – 27 NIC (Noise Isolation Class) (27dB)
(Based on the testing in-house)

WELL VENTILATED INTERIOR

Well ventilated interior to keep user comfortable at all time (air replaced every 20s)








ENERGY SAVING

Sensor-based on-off switch ventilation fan and LED light to prevent energy wastage when booth is vacant. Sensor customized settings (1min, 3min, 5min, 8min & 10min Default:10min)

MOVABLE

Casters and adjusters installed to the bottom of the pod for ease of mobility



1. Tempered glass door with handle
2. Ventilation Access
3. LED Light
-Standard: **Day Light**
-Option: **Natural Light**
4. Motion Sensor
5. Working Table with Flipper Cover
6. Sofa

Product Specifications

	WORKPOD
Acoustic Rating	Panel Type: TUV - 28 NIC (Noise Isolation Class) ; 28dB Glass Type: TUV - 27 NIC (Noise Isolation Class) ; 27dB (Based on the testing in-house)
Dimension:	W x D x H (mm)
1) External	2200 x 2300 x 2245
2) Internal	2045 x 2150 x 2125
External Finishing	Powder Coated Sheet Metal
Internal Finishing	12mm Polyester Fiber Acoustic Board
Floor Finishing	Premium Loop Pile Carpet (Dark Grey)
Swing Door	Aluminium Frame With 8mm Tempered Glass
Glass Panel	Aluminium Frame With 8mm Laminated Glass
Table	Melamine Chipboard With Chamfered Edge (1790mm x 750mm x 25mm)
Flipper Cover – Soft Closing	Melamine Chipboard With Chamfered Edge (628mm x 118mm)
Sofa	Fabric Upholstered Sofa 4 X (1000mm x 558mm x 725mm SH419mm)
Ventilation Fan	16 x 120mm x 120mm Ventilation Fan (12Vdc)
Sensor	Customized Settings (1min, 3min, 5min, 8min & 10min) Default is 10min.
Lighting	4 x 12Vdc LED Light (Standard : 6000K Day Light) (Option : 4000K Natural Light)
Airflow	16 x 1.75 m ³ /min. 1680 m ³ /h , air replaced every 20s
Bearing Caster	12
Adjuster	14

Colour Options

Exterior Colour



E6A (Black)



SAW (White)



S81 (Silver)



M35 (Blue)



M2D (Green)




M1G (Yellow)



MAD (Red)

Acoustic Panel Colour



A(Light Grey)

Table Colour



Maple

Sofa Colours



01WH(Shell)



02WH(Sand)



03BR(Lumen)



04BR(Concord)



05YE(Yellow)



06RE(Blush)



07BL(Forest)



08GR(Chive)



09GR(Hydro)



10BL(Stella)



11BL(Midnight)



12GY(Silver)



13GY(Uno)



14GY(Planet)



15GY(Pewter)



16GY(Slate)

Exterior Colour

- Exterior colour only applied on outer panel and corner post only.
- Door and glass frame will be E6A (black) colour.

E6A (Black)



SAW (White)



S81 (Silver)



M35 (Blue)



M2D (Green)



M1G (Yellow)




MAD (Red)



Back View


Panel Type



Glass Type



Part Numbering Guide



Examples

Specifications: 4-8pax, Panel back style, Blue body, Silver sofa
Item no.: PB-SF23PL-M35A12GY1

Specifications: 4-8pax, Glass back style, Yellow body, Shell sofa
Item no.: PB-SF23GL-M1GA01WH1